LX LIGHTING

Customized | High quality

Professional COB LED Strip

NO SPOT NO DARK AREA

HIGH BRIGHTNESS HIGH TECHNOLOGY

COB LED STRIP SINGLE COLOR

	Model	LED/m	Input Volt	LED Type	Drawing	CCT/Color	Power (W/m)	Lm/m	Lm/W	CRI	Mini Cut	PCB Width(mm)	PCB OZ	Available IP Rating
100 Lm/W	FCOB-320-12-8	320	DC12V	COB	8 mm / 25.00mm	2700K 3000K 4000K 5000K 6500K / Red Green Blue Pink Purple	8	800	100	90Ra	25	8	2 OZ	IP20 IP65 IP67
100 Lm/W	FCOB-320-24-8	320	DC24V	COB	8 mm / 50.00mm	2700K 3000K 4000K 5000K 6500K / Red Green Blue Pink Purple	8	800	100	90Ra	50	8	2 OZ	IP20 IP65 IP67
100 Lm/W	FCOB-480-12-8	480	DC12V	COB	8 mm / 25.00mm	2700K 3000K 4000K 5000K 6500K / Red Green Blue Pink Purple	10	1000	100	90Ra	25	8	2 OZ	IP20 IP65 IP67
100 Lm/W	FCOB-480-24-8	480	DC24V	COB	8 mm / 50.00mm	2700K 3000K 4000K 5000K 6500K / Red Green Blue Pink Purple	10	1000	100	90Ra	50	8	2 OZ	IP20 IP65 IP67
100 Lm/W	FCOB-528-12-10	528	DC24V	COB	10 mm / 45.45mm	2700K 3000K 4000K 5000K 6500K / Red Green Blue Pink Purple	14	1400	100	90Ra	45.45	10	2 OZ	IP20 IP65 IP67
100 Lm/W	FCOB-528-24-10	528	DC12V	COB	10 mm / 45.45mm	2700K 3000K 4000K 5000K 6500K / Red Green Blue Pink Purple	14	1400	100	90Ra	45.45	10	2 OZ	IP20 IP65 IP67
100 Lm/W	FCOB-576-24-10	576	DC24V	COB	10 mm / 27.78mm	Tunable White 2700K/3000K + 4000K/5000K/6500K	12~24	1200~2400	100	90Ra	27.78	10	2 OZ	IP20 IP65 IP67

15-meter ultra-long series (Power from one side can run 15m) 10mm/cut ! !







	Model	LED/m	Input Volt	LED Type	CCT/Color	Power (W/m)	Lm/m	Lm/W	CRI	Mini Cut	PCB Width(mm)	PCB OZ	Available IP Rating
100 Lm/W	FCOB-600-24-10	600	DC24V	COB	2700K 3000K 4000K 5000K 6500K / Red Green Blue Pink Purple	14W	1400lm	100	90Ra	10 mm	10 mm	3 OZ	IP20 IP65 IP67

COB LED STRIP RGB Multi-Colors





Model	LED/m	Input Volt	LED Type	Drawing	CCT/Color	Power (W/m)	Lm/W	Lm/W	CRI	Mini Cut (mm)	PCB width(mm)	PCB OZ	Available IP Rating
FCOB-RGB630-24V-10	630	DC24V	COB	10 mm	RGB	14	30	420	---	33.33	10 mm	2 OZ	IP20 IP65 IP67
FCOB-RGB840-24V-10	840	DC24V	COB	10 mm	RGB	15	30	450	---	25	10 mm	2 OZ	IP20 IP65 IP67
FCOB-RGB1056-24V-12	1056	DC24V	COB	10 mm	RGB	18	30	540	---	22.73	12 mm	2 OZ	IP20 IP65 IP67

COB LED STRIP RGB+White



Model	LED/m	Input Volt	LED Type	Drawing	CCT/Color	Power (W/m)	Lm/LED	Lm/W	CRI	Mini Cut (mm)	PCB width(mm)	PCB OZ	Available IP Rating		
FCOB-RGBW560-24V-12	560	DC24V	COB		RGB White	16W	8-10	420	---	62.50 mm	12 mm	2 OZ	IP20	IP65	IP67
FCOB-RGBW840-24V-12	840	DC24V	COB		RGB White	16W	8-10	420	---	62.50 mm	12 mm	2 OZ	IP20	IP65	IP67

COB LED STRIP RGB+CCT

Model	LED/m	Input Volt	LED Type	Drawing	CCT/Color	Power (W/m)	Lm/LED	Lm/W	CRI	Mini Cut (mm)	PCB width(mm)	PCB OZ	Available IP Rating		
FCOB-RGBCCT840-24V-12	560	DC24V	COB		RGB White White	18W	8-10	420	---	41.67 mm	12 mm	2 OZ	IP20	IP65	IP67

COB LED STRIP Magice RGB (IC SK6812)

Model	LED/m	Input Volt	LED Type	Drawing	CCT/Color	Power (W/m)	Lm/LED	Lm/W	CRI	Mini Cut (mm)	PCB width(mm)	PCB OZ	Available IP Rating		
FCOB-SK6812RGB322-24V-12	322	DC 5V	COB		RGB IC SK6812	14.40	8-10	420	---	50	8 mm	2 OZ	IP20	IP65	IP67

Al Quoz Ind4, Dubai ,UAE

+971 56 879 5727

info@lxlighting.com

www.lxlighting.com